

FIG. 1




FIG. 2

10/538262




FIG. 3

~~FIG. 3~~

Field	Length(bits)
MessageID	8
TransactionID	8
AttributeRecord	Attribute dependent

FIG. 4

~~FIG. 4~~

AttributeRecord

Field	Length(bits)	Default
Length	8	N/A
AttributeID	8	N/A
ReverseTrafficChannelStart	8	1

FIG. 5

~~FIG. 5~~

### ReverseTrafficChannelStart

Value	Meaning
0x01	9.6kbps
0x02	19.2kbps
0x03	38.4kbps
0x04	76.8kbps
0x05	153.6kbps

FIG. 6




FIG. 7

~~FIG. 7~~

Field	Length(bits)
MessageID	8
AccessCycleDuration	8
AccessSignature	16
OpenLoopAdjust	8
ProbeInitialAdjust	5
ProbeNumStep	4
PowerStep	4
ProbeLength	3
CapsuleLengthMax	4

$N_{ACMPAPersist}$  occurrences of the following field:

APersistence	6
<u>RTCStartRateChangeEnabled</u>	<u>1</u>
<u>ReverseTrafficChannelStart</u>	<u>7</u>
Reserved	variable

FIG. 8






FIG. 9




Fig. 10

10/538262

